

WASE





E a a LED a a a □



广州市添鑫光电有限公司

G a T a P C .,L



Pa N .	TX-6070RGBYLWP25FC120-NUVCNG-02A	S N .	WKF-BE0827	Pa	2 10
://				V	:1.0



F a C		IF	1000	A	
R V a		V _R	N a	V	
P D a		P _D	R	3200	W
			G	3600	
			B	3600	
			Y	2800	
			L	3800	
			W	3800	
			P	3900	
J T a		T	R	115	
			G	150	
			B	150	
			Y	150	
			L	150	
			W	150	
			P	150	
E a D a T (ESD)		ESD	2000	V	
S a T a		T	-40 70		
O a T a		T	-40 100		

1.S a a b a .
 2.U a C a a a a ab , a LED a 50,000 .
 3.T a a a a a a a a a a
 a .
 4.P a ESD:
 STATIC SHIELD E a a a LED. I a ba
 a - a a LED.A a a b

Pa N .	TX-6070RGBYLWP25FC120-NUVCNG-02A	S N .	WKF-BE0827	Pa	3 10
--------	----------------------------------	-------	------------	----	------



广州市添鑫光电有限公司

G a T a P C .,L



Pa N .	TX-6070RGBYLWP25FC120-NUVCNG-02A	S N .	WKF-BE0827	Pa	4 10
://				V	:1.0



广州市添鑫光电有限公司

G a T a P C .,L

R	C	I _R	V _R =10V					A
V	A a 50 IV	2 1/2				120		D
T	a R a J Ca	R J-C		R		4.2		KW
				G		4.2		
				B		4.2		
				Y		4.2		
				L		4.2		
				W		4.2		
				P		4.0		
T	a C V a	V F/T		R		-2		V/
				G		-2		
				B		-2		
				Y		-2		
				L		-2		
				W		-2		
				P		-2		

1.L a a a b a a a a CIE

2. 1/2 -a a a a a a

3.T a a () CIE a a a a

4.L a a : 15%



5.F a a a a : 0.15V.



Pa N .	TX-6070RGBYLWP25FC120-NUVCNG-02A	S N .	WKF-BE0827	Pa	5 10
--------	----------------------------------	-------	------------	----	------


// V :1.0




(25 A b T a U O N)







Beam Pattern



1.2 1/2 a a a 1/2 a a .
 2.V a a 5 .

Pa N .	TX-6070RGBYLWP25FC120-NUVCNG-02A	S N .	WKF-BE0827	Pa	8 10
://				V	:1.0



T a : 5 30 (41 86)

H : 60% RH Ma .

U



Pa N .	TX-6070RGBYLWP25FC120-NUVCNG-02A	S N .	WKF-BE0827	Pa	9 10
://				V	:1.0



广州市添鑫光电有限公司

G a T a P C .,L

Pa
://

V :1.0