

# TX-3535W15FC120-NGVEZW-B03E

## PRODUCT SPECIFICATION

Features:



Chip Material:

Emitting Color:

Applications:

--	--	--	--	--	--

# Package Dimensions:



# Absolute Maximum Ratings (Tc=25 )

Parameter	Symbol	Ratings	Unit

Notes:

--	--	--	--	--	--


## Electrical Optical Characteristics (Tc=25°C)

Parameter	Symbol	Condition	Min.	Typ.	Max.	Units
-----------	--------	-----------	------	------	------	-------


## White light Color coordinate filing (IF=1.0A )



Notes:




--	--	--	--	--	--	--

# Typical Electrical/Optical Characteristics Curves

--	--	--	--	--	--





SUNSHINE 广州市泰鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd.

SUNSHINE 广州市泰鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd.


SUNSHINE 广州市泰鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co., Ltd.

有限公司  
CO., LTD.

# Usage Precautions

Storage Environment Condition

Soldering Condition



Profil-Charakteristik Profile Feature	Symbol	Pb-Free(SnAgCu)Assembly			Einheit Unit
		Minimum	Recommendation	Maximum	



Note:

--	--	--	--	--	--



# Dimensions For Cannulation And Packaging

Quantity: 1000 PCS



Notes:

--	--	--	--	--	--